| Name | Product Discription | Efficacy | Dosage and Administration | | | Ingredients | | Warning | other information |
|-------------------------------------|------------------------------------|-----------------------------------|---|--|-------------|---|-------------------------|---|--|
| Ryukakusan Direct Stick Peach | irritable and uncomfortable throat | uncomfortable throat symptoms. | Suggested Usage: Take the following doses without water. Have at least 2 hours between each dose. | | | In 6 packages (4.2g) / dosage | Aduct daily | please consult with your doctor, pharmacist, or registered sales clerks. (1) Undergoing treatment for a medical | ion, (1) Store medications in a cool, dry place away from a direct sun light. (2) Keep out of reach of children. (3) Store medications only in their |
| | | | Age | dosage | Daily usage | Ingredients | Contenst | (2) Experienced any allergy reactions by | |
| | | | Adult(older than 15 years) | 1package | 6 times | powdered Platycodon | 84.0mg | | |
| | | | 11 ~ under 15 years | 2/3package | | powdered Senega | 4.2mg | | |
| | | | 7 ~ under 11 years | 1/2package | | powdered Grycyrrhiza | 102.0mg | | |
| | | | 3 ~ under 7 years | 1/3package | | Apricot Kernel | 15.0mg | | |
| | | | under 3 years | Do n | ot use | powdered Ginseng | 84.0mg | your physician, pharmacist, or registered sales clerks. | |
| | | | Ossage and Administration.> Follow the usage and dosage instruction. | | | powdered Gambir | 8.4mg | Symptoms | |
| | | | | Children should have parental supervision when taking edicine. | | Additives:Potato Starcl Magnesium Aluminomet Erythritol, Sodium Fuma menthol, Flavoring, Foo No.102 | asilicate, arate, L- | Skin: Rash, itchiness, skin reddening Digestive system : nausea, vomiting, loss of appetite, Nervous system: Dizziness If your condition is severe and persists for more than 5to 6days, please stop taking the product. Take this product instruction to consult with your physician, pharmacist, or registered sales clerks. | |